

Technical Datasheet LS 80

High Power Solid-State LED Light Source

# **LUSTRON DX5**

#### Introduction

For a brighter solid-state light source, Lustrous Technology is proud to release the new **LUSTRON DX5**. Ideal for your high lumen output design, **LUSTRON DX5** has the ability to generate extremely high lumen output from 1,700 to 2,500 lm on one single LED product. The **LUSTRON DX5** is energy efficient, and provides high efficiency while performing its high lumen for all types of Commercial and Architectural applications. A 20-watt driver is all you need to start the high lumen light source for your next bright design.

#### **Features**

- Available in 3-step bins at 3000K, 4000K and 5700K, which ANSI C78.377 compliant
- Forward voltage: 24.8V
- Maximum drive current: 1500mA
- 140° viewing angle, uniform chromaticity profile
- RoHS compliant



### **LUSTRON DX5 Part Number Matrix**

#### Table.1

Color	P/N
Warm White	L520CLHWBA
Neutral White	L520MWHWBA
Cool White	L520NWHWDA


### **LUSTRON DX5 Material**


Chip Material GaN Base
------------------------




### **Mechanical Dimensions**

#### **LUSTRON DX5**








Cross Section A-A

Note: These drawings are not for scale. All dimensions are in millimeters.



## Recommended installation screw pitch



### Warning:

Do not touch the lighting surface area during installation.



## Flux Characteristics At Junction Temperature $T_j = 25 \,^{\circ}$ C

#### Table.2

Color	L	uminous Flux (In	n)
Color —	Min.	Тур.	Typ. (Tc 85℃)
Warm White ( 3000K)	1450	1720	1515
Neutral White(4000K)	1600	1950	1717
Cool White (5700K)	2000	2360	2078

Note1: Luminous flux is measured in total power with tolerance rate of ±10%. Minimum luminous flux performance is guaranteed from the above data.

Note2: Luminous binning information can be found in Table.7.

Note3: Luminous flux at case temperature of 85 ℃ is for reference.

### **Optical Characteristics**

Table.3

Color	CCT (K)	Viewing Angle (degrees)	CRI
Warm White	3000	-	85
Neutral White	4000	~140	80
Cool White	5700		65

Note1: CRI value is measured with tolerance rate of ±3.



### **Electrical Characteristics**

Table.4

	Eamuard Valtage	(V)	for 750 mA forward	
Part Number	Forward Voltage	(V)	current	
	Min	Тур	Max	
L520CLHWBA				
L520MWHWBA	23.2	24.8	27.2	
L520NWHWDA				

Note1: Lustrous Technology allows a tolerance of each LED for voltage measurements.

Note2: Measurements are taken under each nominal forward current.

## **Absolute Maximum Ratings**

Table.5


L520XXHWXX
750
1500
< 125
+ 4kV(HBM)
~ 0.8
-20 ~ +85
-20 ~ +50

Note1: Proper current operating must be observed to maintain junction temperature below the maximum.




## Relative Intensity vs. Current $(T_j = 25^{\circ}C)$

#### L520XXHWXX




## Forward Voltage vs. Current $(T_j = 25^{\circ}C)$

#### L520XXHWXX






## **Photometric Output vs. Board Temperature**






## **Relative Spectral Power**

### Warm White (3000K)




### Neutral White (4000K)






### Cool White (5700K)






## Typical Angular Beam Profile, $T_j=25^{\circ}$



View Angle: 140 degree



Note1: Photometric data is ready on request



### **Product Binning**

In the manufacturing process, there is a natural variation of specifications between LEDs. In order to minimize variation in the end product of application, Lustrous Technology uses the current ANSI code binning procedures to measure its products for performance in luminous flux and chromaticity.

The tables below list the standard photometric bins for Lustrous LED products (tested and binned at the indicated test current). Product availability in a particular bin varies by product and production run. Please contact your Lustrous sales representative for further information regarding product availability.

### **Binning Condition**

#### Table.6

Color	Forward Current (mA)
L520CLHWBA	
L520MWHWBA	750
L520NWHWDA	



## **Luminous Flux Binning Information**

Table.7

BIN Code	Lv	(lm)
DIN Code	min.	max.
Α	5	20
В	20	40
С	40	60
D	60	80
E	80	110
F	110	140
G	140	170
Н	170	200
l	200	240
J	240	280
K	280	320
L	320	360
М	360	400

BIN Code	Lv (	Lv (lm)			
DIN Code	min.	max.			
N	400	450			
0	450	500			
Р	500	580			
Q	580	660			
R	660	740			
S	740	860			
Т	860	980			
U	980	1100			
V	1100	1300			
W	1300	1600			
Х	1600	2000			
Υ	2000	2500			
Z	2500	3000			

Note: Luminous flux is measured in total power with tolerance rate of  $\pm 10\%$ .



## **Chromaticity Binning Information**




Table.8

BIN	CCT		Chromaticity Coordinate (CIE 1931-xy)								
CODE	(K)	x1	y1	x2	y2	хЗ	уЗ	x4	y4	Cer	nter
30	3000	0.4400	0.4100	0.4310	0.4060	0.4275	0.3960	0.4365	0.4000	0.4338	0.4030
40	4000	0.3870	0.3880	0.3780	0.3810	0.3765	0.3715	0.3850	0.3780	0.3818	0.3797
57	5700	0.3310	0.3500	0.3240	0.3400	0.3260	0.3330	0.3330	0.3425	0.3287	0.3417

\*\*Note : Chromaticity is measured in Chromaticity Coordinate  $\,$  ( CIE 1931-xy  $\,$ ) with tolerance rate of  $\pm 0.005$ .



### **Print Code Guideline**

8

$$\frac{V0}{9} - \frac{Y}{10} - \frac{30}{11} \quad \frac{XX}{12} \quad \frac{XX}{13} \quad \frac{XX}{14}$$

Table.11


1	2	3	4	5	6
Туре	Power	Color	$V_{f}$	Current	CRI
L5	<b>20</b> : 20W	NW : Cool White	<b>H</b> : 28 V	<b>W</b> : 750 mA	<b>B</b> : 80~90
		<b>MW</b> : Neutral White			<b>D</b> : 60~70
		CL: Warm White			

7	8	9	10	11
<b>Customer Code</b>	Internal Code	Bin V <sub>f</sub>	Luminous Flux	Chromaticity
		<b>V0</b> : Without	See Bin Code	See Bin Code
		Binned	Definition	Definition


12	13	14
Year	Month	Week
<b>14</b> : 2014	01: January	<b>01</b> : 01 <sup>st</sup> Week
<b>15</b> : 2015	<b>05</b> : May	<b>20</b> : 20 <sup>th</sup> Week
	10 October	<b>45</b> : 45 <sup>th</sup> Week



## **Standard Packaging**



ITEM	DESCRIPTION		
0	LED		
2	PLASTIC TUBE		
3	END-PLUG WHITE		
4	END-PLUG BLACK		
5	ADHESIVE MAIN LABEL		
6	MOISTURE BARRIER BAG		
Ø	SMALL BOX		
8	STANDARD BOX		
STACKING METHOD			
PCS/TUBE		10	
TUBE/BAG		12	
BAG/SMALL BOX		1	
PCS/SMALL BOX		120	
SMALL BOX/STANDARD BOX		4	
PCS/STANDARD BOX		480	
SIZE AND WEIGHT			
	SIZE(mm <sup>3</sup> )	WEIGHT(kg)	
SMALL BOX	440×130×130	2.22±0.5	
STANDARD BOX	460×280×280	10.12±0.5	





#### **Precaution for Use**

#### Installation

- 1. Do not touch the lighting surface area during installation.
- 2. If the product might to be used under the following conditions, the customer must evaluate its appropriateness them. This product is not designed for use under the following conditions. In places where the product might:
  - get wet due to rain.
  - suffer from damage caused by salt.
  - be exposed to corrosive gas such as Cl, S, H<sub>2</sub>S, NH<sub>3</sub>, SO<sub>2</sub>, NO<sub>x</sub> and so on.
  - be exposed to dust, fluid or oil.

#### **Over-current Proof**

- 1. Do not reverse current the LEDs we suggest current limit resistors for extra protection.
- 2. The maximum overshot current should be limited to 1500mA.
- 3. The ripple of driving current should not exceed +/-10% of normal driving current.
- 4. When driving the products, the clamp voltage must be set at 32V in driver.

#### Storage

- 1. Do not open the Moisture Barrier Bag (MBB) before you are ready to install the LEDs.
- 2. Storage Condition (before opening the MBB):
  - Storage Temperature:-20~50 ℃.
  - Relative Humidity: <60% RH.</li>
  - The products should be used within half a year.
- 3. Storage Condition (after opening the MBB):
  - Storage Temperature:-20~50 ℃.
  - Relative Humidity: <60% RH.</li>
  - The products should be used or installed as soon as possible after opening the MBB.
  - Please re-seal the MBB when storing longer than 3 weeks.



#### **Company Information**

Lustrous Technology, founded in 2004, endeavors to bring a new era of solid-state lighting. Our R&D development center and production facilities are based in Taiwan, a famous island for IT technology in the world. Our products are well designed in both performance and reliability. Lustrous is one of the leading high-power LED manufacturer and solution provider in the world.

\*\*Lustrous Technology may make process and material changes affecting performance and characteristics of our products without further notice. These products supplied after changes will continue to meet published specifications, but may not be identical to products supplied as samples or under prior orders.



# Green Technology of Lighting

Website: www.lustrous.com.tw

Email: sales@lustrous.com.tw

Tel: +886-2-8647-2862

Fax: +886-2-8647-2863

All rights reserved. Product specifications are subject to change without further notice.