Stepping Motors M42SP-4, -4NK

Stepping Motors

OUTLINE

A high-resolution model "M42SP-4" "M42SP-4NK" which is the only motor that has 3.75°step angle among the stepping motor series. Despite the modest body size (o.d.: 42mm, thickness: 15.7/17.9mm) this motor has high output characteristic, excellent running quietness and stability.



FEATURES

- 1. High output torque, and high resolution.
- 2. Superior running quietness and stability.
- 3. Step angle: 3.75°.
- 4. Excellent responsiveness acquired.


USES


Printers, word processors, facsimiles, and such.

SPECIFICATIONS

tems	M42SP-4	M42SP-4NK
Rated Voltage	DC 24V	
Working Voltage	DC 21.6~26.4V	
Rated Current/Phase	646mA	400mA (PEAK)
No. of Phase	4 Phase	2 Phase
Coil DC Resistance	40Ω	5.5Ω/phase±10%
Step Angle	3.75°/step	
Excitation Method	2-2 Phase excitation	2-2 Phase excitation
	(Unipolar driving)	(Baipolar chopping driving)
Insulation Class	Class E insulation	
Holding Torque	70.6mN·m	44.1mN·m
Pull-out Torque	45.1mN·m/200pps	26.0mN·m/200pps
Pull-in Torque	41.7mN·m/200pps	31.4mN·m/400pps
Max. Pull-out Pulse Rate	1,050pps	3,450pps
Max. Pull-in Pulse Rate	800pps	940pps


CHARACTERISTICS






DIMENSIONS

M42SP-4



M42SP-4NK



Unit: mm, General tolerance: ±0.5